

Hose for ventilation

GeoFlex High

GeoFlex High, is a hose made of E.V.A. which is used for extraction when medium- or high vacuum is needed. Suitable for extraction of hot fumes, dust, air and welding fumes. Easy to connect to our couplings (high pressure).

Material

Ethyl-vinyl-acetyl (EVA) hose. The hose is constructed of extruded EVA material and is in- and outside corrugated. The hose is self supporting, which means that a spiral is unnecessary.

Colour

Yellow, grey and black. The black hose is antistatic, the yellow hose is not antistatic.

Length

Per meter, up to 20 meter

Temperature resistance

- 20°C to + 60°C

Application

High vacuum hose for extraction of hot fumes, dust, air and welding fumes etc.

Properties

Super light weight
Very flexibel



GeoFlex High



GeoFlex High - The yellow hose is not antistatic

Tekniske specifikationer

Art. No.	Inside Dia. (mm)	Outside Dia. (mm)	Weight (kg/m)	Bend. Rad. (mm)	Max. Vacuum (kPa)
09-006	25	32,2	0,15	54	50
09-007	32	40	0,27	80	39
09-008	38	46	0,32	100	50
09-009	51	60	0,44	150	50
09-010	76	86	0,65	300	13,7
09-020	45	53	0,38	125	2